




gatekeeper recover rrq rcf rrj

Search

Advanced Search



Web

Results 11 - 20 of about 1,160 for gatekeeper recover rrq rcf rrj. (0.13 seconds)



Show options...

1. [Cisco Unified CallManager Administration Guide, Release 5.0\(2\) ...](#)

The system must send a keepalive **RRQ** to the **gatekeeper** before the **RRQ** Time to Live expires. ... The **gatekeeper** may confirm (**RCF**) or deny (**RRJ**) the request. ...

[www.ciscosystems.or.at/en/US/docs/voice\\_ip.../b06gatkp.html](#) - [Cached](#)

2. [Cisco Unified CallManager Administration Guide, Release 5.1\(3\) ...](#)

The system must send a keepalive **RRQ** to the **gatekeeper** before the **RRQ** Time to Live expires. ... The **gatekeeper** may confirm (**RCF**) or deny (**RRJ**) the request. ...

[www.cisco.or.at/en/US/docs/voice\\_ip\\_comm/.../b06gatkp.html](#) - [Cached](#)

3. [\[PDF\] Gatekeeper Configuration](#)

File Format: PDF/Adobe Acrobat - [Quick View](#)

Cisco CallManager cluster unregisters (URQ) and then reregisters (**RRQ**) with the **gatekeeper**. ... The **gatekeeper** may confirm (**RCF**) or deny (**RRJ**) the request. ...

[www.cisco.rw/en/US/docs/voice\\_ip\\_comm/cuom/.../4.../b06gatkp.pdf](#)

4. [Understanding H.323 Gatekeepers \[Gateway Protocols\] - Cisco Systems](#)

**RRQ** (Registration\_Request). Sent from an endpoint to a **gatekeeper** RAS channel address. **RCF** (Registration\_Confirm). A reply from the **gatekeeper** that confirms ...

**RRJ** (Registration\_Reject). A reply from the **gatekeeper** that rejects ...

[72.163.4.161/en/.../technologies\\_tech\\_note09186a00600c5e0d.shtml](#) - [Cached](#)

5. [Telecommunication Protocol: RAS Protocol](#)

Feb 9, 2007 ... A **gatekeeper** in receipt of **RRQ** with a keepAlive field set to TRUE .... messages **RCF** and **RRJ**, and is used to associate **RRQ**, **RCF** and **RRJ**. ...

[teloc-protocol.blogspot.com/2007/02/42-ras-protocol.html](#) - [Cached](#) - [Similar](#)

6. [\[pod\] Comments on ITU-T Recommendations H.323v5 and H.225.0v5](#)

File Format: Microsoft Word - [View as HTML](#)

Likewise, the **RCF** message contains parallel fields. The **RRJ** rejection reason also ...

The keep-alive **RRQ** shall reset the time to live timer in the **Gatekeeper**, ....

Furthermore, **recovery** and channel resumption from channel closure due to ...

[wtp3.itu.int/av.../H.323%20and%20H.225.0%20Comments.doc](#) - [Similar](#)

7. [Cisco CallManager Administration Guide, Release 3.0/5 ...](#)

A keepalive **RRQ** must be sent to the **gatekeeper** before the **RRQ** Time to Live ... with

the **gatekeeper**. The request may be confirmed (**RCF**) or denied (**RRJ**). ...

[www.ciscosystems.am/en/US/docs/voice\\_ip.../p8gatekp.html](#) - [Cached](#)

8. [CCIE Voice / CCVP Exam Objectives #5: H323 Messages \(Cont ...](#)

May 26, 2008 ... **Gatekeeper** discovery (**Gatekeeper** Request [GRQ], **Gatekeeper**

Confirm ... Request [RRQ], Registration Confirm [RCF], Registration Reject [RRJ], ...

[www.networkworld.com/community/node/28115](#) - [Cached](#)

9. [Troubleshooting GUP, Alternate Endpoint and Load Balancing ...](#)

Feb 2, 2006 ... When a **gatekeeper** sends an **RCF** for a new registration, .... the

gateway (upon not hearing a **RCF** or **RRJ** for its light weight **RRQ**) tries twice with ... A

calling endpoint can **recover** from a call setup failure by sending a ...

[www.cisco.com/rui.../technologies\\_tech\\_note09186a00800e5f0c.shtml](#) - [Cached](#)

10. [Method for Making Secure an Audio-Visual Communication Network ...](#)

A control element 4 (**gatekeeper** in the H.323 terminology) is adapted to register ....

The reception of an **RCF** message validating a transition 44a or an **RRJ** ... The

attacker can send **RRQ** messages at a sufficiently low frequency for them to be .... to

mount an attack A10 aiming to **recover** endpoint usage information. ...

[www.faqso.org/patents/app/20080201482](#) - [Cached](#)

◀ [Goooooooooooooole](#) ▶  
[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

gatekeeper recover rrq rcf rrj

Search

Search within results - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)